




NIMBUS A01 670733

Measurements

Height (cm)	143
Diameter (cm)	200
Length (cm)	400
Gross weight (kg)	85
Net Weight (kg)	74

Packaging


Box 1 (cm)	58x38x34	7
Box 2 (cm)	-	
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	0,52	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	132 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A02 670733

Measurements

Height (cm)	177
Diameter (cm)	215
Length (cm)	278
Gross weight (kg)	69,5
Net Weight (kg)	60

Packaging


Box 1 (cm)	58x38x34 6
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,46

Characteristics

Crystal colour	** Clear / Colour
N° Lights	107 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A03 670733

Measurements

Height (cm)	110
Diameter (cm)	96
Length (cm)	273
Gross weight (kg)	35
Net Weight (kg)	30

Packaging


Box 1 (cm)	58x38x34 3
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,23

Characteristics

Crystal colour	** Clear / Colour
N° Lights	55 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A04 670733

Measurements

Height (cm)	700
Diameter (cm)	280
Length (cm)	273
Gross weight (kg)	65
Net Weight (kg)	56

Packaging


Box 1 (cm)	58x38x34 6
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,46

Characteristics

Crystal colour	** Clear / Colour
N° Lights	104 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A05 670733

Measurements

Height (cm)	140
Diameter (cm)	100
Length (cm)	-
Gross weight (kg)	16
Net Weight (kg)	13

Packaging


Box 1 (cm)	58x38x34 2
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,15

Characteristics

Crystal colour	** Clear / Colour
N° Lights	25+5 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A06 670733

Measurements

Height (cm)	245
Diameter (cm)	300
Length (cm)	-
Gross weight (kg)	45
Net Weight (kg)	37

Packaging


Box 1 (cm)	58x38x34 5
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,38

Characteristics

Crystal colour	** Clear / Colour
N° Lights	81+5 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A07 670733

Measurements

Height (cm)	69
Diameter (cm)	79
Length (cm)	220
Gross weight (kg)	17
Net Weight (kg)	14

Packaging


Box 1 (cm)	58x38x34 2
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,15

Characteristics

Crystal colour	** Clear / Colour
N° Lights	31 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-



NIMBUS A08 670733

Measurements

Height (cm)	56
Diameter (cm)	104
Length (cm)	180
Gross weight (kg)	16
Net Weight (kg)	13

Packaging

Box 1 (cm)	58x38x34 2
Box 2 (cm)	-
Box 3 (cm)	-
Box 4 (cm)	-
Box 5 (cm)	-
Box 6 (cm)	-
Box 7 (cm)	-
Total volume (m ³)	0,15

Characteristics

Crystal colour	** Clear / Colour
N° Lights	25 L
N° lights by levels	-
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	2m (Adjustable)
Installation	Pendant lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	40
IP Protection	IP20
Lampholder	G9
Temperature (°C)	25
Mounting system	Pendant lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I
Connection	-