



TUPAYA 670695

Measurements

Height (cm)	60
Diameter (cm)	35
Length (cm)	
Gross weight (kg)	10,4
Net Weight (kg)	6,2

Packaging

Box 1 (cm)	79x79x28	1
Box 2 (cm)	-	
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	0,17	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	17 (12 Arms)
N° lights by levels	
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	
Installation	Ceiling lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	50/40
IP Protection	IP20
Lampholder	GU10/G9
Temperature (°C)	25
Mounting system	Ceiling lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



TUPAYA 670695

Measurements

Height (cm)	150
Diameter (cm)	110
Length (cm)	
Gross weight (kg)	67
Net Weight (kg)	47

Packaging

Box 1 (cm)	121x108x39	2
Box 2 (cm)	-	
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	1,02	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	44 (36 Arms)
N° lights by levels	
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	
Installation	Ceiling lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	50/40
IP Protection	IP20
Lampholder	GU10/G9
Temperature (°C)	25
Mounting system	Ceiling lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



TUPAYA 670695

Measurements

Height (cm)	80
Diameter (cm)	80
Length (cm)	
Gross weight (kg)	31
Net Weight (kg)	22

Packaging

Box 1 (cm)	79x79x28	1
Box 2 (cm)	99x78x29	1
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	0,4	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	47 (30 Arms)
N° lights by levels	
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	
Installation	Ceiling lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	50/40
IP Protection	IP20
Lampholder	GU10/G9
Temperature (°C)	25
Mounting system	Ceiling lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



CHANDELIER CODE: 670695

SERIES: TUPAYA

DESCRIPTION: CEILING LAMP

CHARACTERISTICS

Crystal colour	** Clear / Colour	Mounting Chain Material	
Nº Lights	47 (30 Arms)	Length of mounting chain	
Nº lights by levels		Installation	Ceiling lamp
Glass Material	Bohemia Crystal	Assembly instructions	Yes
Mounting Plate Material	Iron	Environment	Indoor

** Check our colour list: <http://www.iriscristal.com/colourlist>

MEASUREMENTS

Height	80 cm	Box (cm)	1	79x79x28
Diameter	80 cm	Box (cm)	1	99x78x29
Length		Box (cm)		
Wall background		Volume (m3)		0,4
Gross weight	31 kg			
Net Weight	22 kg			

PACKAGING

LUMINAIRE

Power (W):	50/40	Lamp include	Yes
IP Protection	IP20	Voltage	230 V
Lampholder	GU10/G9	Frequency	50 Hz
Temperature	25°	Isolation class	CLASS I
Mounting system	Ceiling lamp	Connection	





TUPAYA 670695

Measurements

Height (cm)	300
Diameter (cm)	110
Length (cm)	
Gross weight (kg)	92,8
Net Weight (kg)	74,3

Packaging

Box 1 (cm)	110x110x57	1
Box 2 (cm)	121x108x39	1
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	1,2	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	61 (53 Arms)
N° lights by levels	
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	
Installation	Ceiling lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	50/40
IP Protection	IP20
Lampholder	GU10/G9
Temperature (°C)	25
Mounting system	Ceiling lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I



TUPAYA 670695

Measurements

Height (cm)	146
Diameter (cm)	110
Length (cm)	
Gross weight (kg)	37
Net Weight (kg)	24

Packaging

Box 1 (cm)	121x108x39	2
Box 2 (cm)	-	
Box 3 (cm)	-	
Box 4 (cm)	-	
Box 5 (cm)	-	
Box 6 (cm)	-	
Box 7 (cm)	-	
Total volume (m ³)	1,02	

Characteristics

Crystal colour	** Clear / Colour
N° Lights	83 (51 Arms)
N° lights by levels	
Material	Bohemia Crystal
Ceiling Rose Material	Iron
Mounting Cable Material	Steel
Length of steel cable	
Installation	Ceiling lamp
Assembly instructions	Yes
Environment	Indoor

Luminaire

Power (W)	50/40
IP Protection	IP20
Lampholder	GU10/G9
Temperature (°C)	25
Mounting system	Ceiling lamp
Lamp include	Yes
Voltage (V)	230
Frequency (Hz)	50
Isolation class	Class I